

Helpful References

Keep in mind, this is not a comprehensive list of all articles related to Rehabilitative Audiology. It is meant to serve as a beginning point for those who are interested in learning more about this field, and the various aspects within it.

Enjoy!

Adults

- Abrams, H.B., Hnath-Chisolm, T., & McArdle, R. (2002) A cost utility analysis of adult group rehabilitation: Are the benefits worth the cost? *Journal of Rehabilitation Research and Development* 39:549-558.
- Burk, M.H., Humes, L.E., Amos, N.E., & Strauser, L.E. (2006) Effect of training on word-recognition performance in noise for young normal-hearing and older hearing-impaired listeners. *Journal of Ear and Hearing* 27:263-278.
- Boothroyd, A. (2004) Hearing aid accessories for adults: The remote FM microphone. *Ear and Hearing* 25:22-23.
- Caissie, R., Campbell, M.M., Amos, N.E., & Strauser, L.E. (2005) Clear speech for adults with a hearing loss: Does intervention with communication partners make a difference? *Journal of the American Academy of Audiology* 16:157-171.
- Caissie, R., Dawe, A., Donovan, C., Brooks, H., & MacDonald, S. (1998) Conversational performance of adults with a hearing loss. *Journal of Academy of Rehabilitative Audiology* 31:45-67.
- Chisolm, T., Abrams, H., & McArdle, R. (2004) Short and long-term outcomes of adult audiologic rehabilitation. *Ear and Hearing* 25:464-477.

- Getty, L., & Hetu, R. (1991) Development of a rehabilitation program for people affected with occupational hearing loss 2. Results from group intervention with 48 workers and their spouses. *Audiology* 30(6): 317-329.
- Hawkins, D. (2005) Effectiveness of counseling-based adult group aural rehabilitation programs: A systematic review of the evidence. *JAAA* 16: 485-493.
- Hetu, R., & Getty, L. (1991) Development of a rehabilitation program for people affected with occupational hearing loss 1. A new paradigm. *Audiology* 30(6): 306-316.
- Hickson, L., & Worrall, L. (2003) Beyond hearing aid fitting: Improving communication for older adults. *International Journal of Audiology* 42: 2S84-2S91.
- Johnson, C.E., & Danhauer, J. (2000) Aural rehabilitation support programs for adults. *Seminars in Hearing* 21: 213-225.
- Kricos, P., & Lesner, S.A. (2000) Evaluating the success of adult audiologic rehabilitation support programs. *Seminars in Hearing* 21: 267-279.
- Lalnde, N., Riverin, L., & Lambert, J. (1988) Occupational hearing loss: An aural rehabilitation program for workers and their spouses, characteristics of the program and target group (participants and nonparticipants). *Ear and Hearing* 9: 248-255.
- Newman, C.W., Weinstein, B.E., Jacobson, G.P., & Hug, G.A. (1990) The hearing handicap inventory for adults: Psychometric adequacy and audiometric correlates. *Ear and Hearing* 11: 430-433.
- Pichora-Fuller, M., Schneider, B., & Daneman, M. (1995) How young and old adults listen to and remember speech in noise. *Journal of Acoustic Society of America* 97(1): 593-608.

Preminger, J.E. (2003) Should significant other be encouraged to join adult group rehabilitation classes? *JAAA* 14: 545-555.

Rubinstein, A., & Boothroyd, A. (1987) Effect of two approaches to auditory training on speech recognition by hearing-impaired adults. *J Speech Hear Res* 30: 153-161.

Auditory Training

Bode, D., & Oyer, H. (1970) Auditory training and speech discrimination. *Journal of Speech and Hearing Research* 13:839-855.

Busby, P., Roberts, S., Tong, Y., & Clark, G. (1991) Results of speech perception and speech production training for three prelingually deaf patients using multi-electrode cochlear implant. *British Journal of Audiology* 25:291-302.

Cohen, W., Hodson, A., & O'Hare, A. (2005) Effects of computer-based intervention through acoustically modified speech (Fast ForWord) in severe mixed receptive-expressive language impairment: Outcomes from a randomized controlled trial. *Journal of Speech and Hearing Research* 48:715-729.

Danz, A., & Binnie, C. (1983) Quantification of the effects of training on the auditory-visual reception of connected speech. *Ear & Hearing* 4:146-151.

Dawson, P., & Clark, G. (1997) Changes in synthetic and natural vowel perception after specific training for congenitally deafened patients using a multichannel cochlear implant. *Ear & Hearing* 18:488-501.

Fu, Q., & Galvin, J. (2007) Perceptual learning and auditory training in cochlear implant recipients. *Trends in Amplification* 11:193-205.

- Fu, Q., Nogaki, G., & Galvin, J. (2005) Auditory training with spectrally shifted speech: Implications for cochlear implant patient auditory rehabilitation. *Journal of the Association for Research in Otolaryngology* 6:180-189.
- Gagne, J., Dinnon, D., & Parsons, J. (1991) An evaluation of CAST: Computer-aided speech reading training program. *J Speech Hear Res* 34:213-221.
- Hickson, L., & Worrall, L. (2003) Beyond hearing aid fitting: Improving communication for older adults. *International Journal of Audiology* 42:2S84-2S91.
- Hines, T. (1999) A demonstration of auditory top-down processing. *Behavior Research Methods in Instrumental Computing* 31:55-56.
- Kricos, P. & Holmes, A. (1996) Efficacy of audiology rehabilitation for older adults. *JAAA* 7: 219-229.
- Lui, S., Del Rio, E., Bradlow, A., & Zeng, F.G. (2004) Clear speech perception in acoustic and electric hearing. *J Acoust Soc Am* 116: 2374-2383.
- Montgomery, A., Schwartz, D., & Prosek R. (1984) Training auditory-visual speech recognition in adults with moderate sensorineural hearing loss. *Ear and Hearing* 5(1): 30-36.
- Moore, D., & Amitay, S. (2007) Auditory training: Rules and applications. *Seminars in Hearing* 28(2): 99-108.
- Pichora-Fuller, M., & Bengueural, A. (1991) The design of CAST (computer aided speechreading training). *J Speech Hear Res* 34: 202-212.
- Pichora-Fuller, M., & Souza, P. (2003) Effects of aging on auditory processing of speech. *International Journal of Audiology* 42(S): 11-16.

- Rubinstein, A., & Boothroyd, A. (1987) Effect of two approaches to auditory training on speech recognition by hearing-impaired adults. *J Speech Hear Res* 30: 153-161.
- Sabes, J., & Sweetow, R. (2007) Variables predicting outcomes on listening and communication enhancement (LACE) training. *JAAA* 46: 374-383.
- Smaldino, S., & Smaldino, J. (1988) Influence of aural rehabilitation and cognitive style disclosure on the perception of hearing handicap. *JARA* 21: 54-67.
- Sweetow, R., & Palmer, C. (2005) Efficacy of individual auditory training in adults: A systematic review of the evidence. *JAAA* 16: 494-504.
- Sweetow, R., & Henderson-Sabes, J. (2004) The case for LACE: Individualized listening and auditory training communication enhancement training. *Hearing Journal* 57(3): 32-40.
- Sweetow, R., & Sabes, J. (2006) The need for and development of an adaptive listening and communication enhancement (LACE) program. *JAAA* 17: 538-558.
- Tye-Murray, N., & Schum, L. (1994) Conversation training for frequent communication partners. *JARA* 27(S): 209-222.
- Tye-Murray, N., Tyler, R., Bong, B., & Nares, T. (1988) Computerized laser videodisc programs for training speechreading and assertive communication behaviors. *JARA* 21: 143-152.
- Vieira, E., Miranda, E., Calais, L., Carvalho, L., Iorio, M., & Borges, A. (2007) Group follow up proposal for elderly with hearing aids. *Revista Brasileira de otorrinolaringologia* 73: 2-11.

Walden, B., Erdman, S., Montgomery, A., Schwartz, D., & Prosek, R. (1981) Some effects of training on speech recognition by hearing-impaired adults. *J Speech Hear Res* 24: 207-216.

Woods, D., & Yund, W. (2007) Perceptual training of phoneme identification for hearing loss. *Seminars in Hearing* 28(2): 110-119.

Children

Bradlow, A.R., Kraus, N., & Hayes, E. (2003) Speaking clearly for children with learning disabilities: Sentence perception in noise. *Journal of Speech Language and Hearing Research* 46:80-97.

Computer Based Programs

Cohen, W., Hodson, A., & O'Hare, A. (2005) Effects of computer-based intervention through acoustically modified speech (Fast ForWord) in severe mixed receptive-expressive language impairment: Outcomes from a randomized controlled trial. *Journal of Speech and Hearing Research* 48:715-729.

Gagne, J., Dinnon, D., & Parsons, J. (1991) An evaluation of CAST: Computer-aided speech reading training program. *J Speech Hear Res* 34:213-221.

Pichora-Fuller, M., & Bengueal, A. (1991) The design of CAST (computer aided speechreading training). *J Speech Hear Res* 34: 202-212.

Sabes, J., & Sweetow, R. (2007) Variables predicting outcomes on listening and communication enhancement (LACE) training. *JAAA* 46: 374-383.

Sweetow, R., & Henderson-Sabes, J. (2004) The case for LACE: Individualized listening and auditory training communication enhancement training. *Hearing Journal* 57(3): 32-40.

Sweetow, R., & Sabes, J. (2006) The need for and development of an adaptive listening and communication enhancement (LACE) program. *JAAA* 17: 538-558.

Tye-Murray, N., Tyler, R., Bong, B., & Nares, T. (1988) Computerized laser videodisc programs for training speechreading and assertive communication behaviors. *JARA* 21: 143-152.

Cochlear Implants

Buchman, C.A, Fucci, M.J., & Luxford, W.M. (1999) Cochlear implants in the geriatric population: Benefits outweigh risks. *Ear, Nose and Throat Journal* 78: 489-494.

Busby, P., Roberts, S., Tong, Y., & Clark, G. (1991) Results of speech perception and speech production training for three prelingually deaf patients using multi-electrode cochlear implant. *British Journal of Audiology* 25: 291-302.

Chatelin, V., Kim, E.J., Driscoll, C., Larky, J., Polite, C., Price, L., & Lalwani, A.K. (2004) Cochlear implant outcomes in the elderly. *American Journal of Otology* 25: 298-301.

Dawson, P., & Clark, G. (1997) Changes in synthetic and natural vowel perception after specific training for congenitally deafened patients using a multichannel cochlear implant. *Ear & Hearing* 18: 488-501.

Djalilian, H.R., King, T.A., Smith, S.L. & Levine, S.C. (2002) Cochlear implantation in the elderly: results and quality of life assessment. *Annals of Otology, Rhinology & Laryngology* 111: 890-895.

- El Kashlan, H., Boerst, A., & Telian, S. (2001) Multichannel cochlear implantation in visually impaired patients. *Otology & Neurotology* 22(1):53-56.
- Francis, H.W., Chee, N., Yeagle, J., Cheng, A., & Niparko, J.K. (2002) Impact of cochlear implants on the functional health status of older adults. *Laryngoscope* 112:1482-1488.
- Fryauf-Bertschy, H., Tyler, R., Kelsay, D., Gantz, B., & Woodworth, G. (1997) Cochlear implant use by prelingually deafened children: The influences of age at implant and length of device used. *Journal of Speech Hearing Research* 40:183-199.
- Fu, Q. (2002) Temporal processing and speech recognition in cochlear implant users. *Neuroreport* 13:1636-1640.
- Fu, Q., & Galvin, J. (2007) Perceptual learning and auditory training in cochlear implant recipients. *Trends in Amplification* 11:193-205.
- Fu, Q., Nogaki, G., & Galvin, J. (2005) Auditory training with spectrally shifted speech: Implications for cochlear implant patient auditory rehabilitation. *Journal of the Association for Research in Otolaryngology* 6:180-189.
- Hinderink, J., Mens, L., Brokx, J., & Van den Broek, P. (1994) Results from four cochlear implant patients with usher's syndrome. *Annals of Otology, Rhinology & Laryngology* 103:285-293.
- Kelsall, D.C., Shallop, J.K. & Burnelli, T. (1995) Cochlear implantation in the elderly. *American Journal of Otology* 16:609-615.
- Loundon, N., Marlin, S., Busquet, D., Denoyelle, F., Roger, G., Renaud, F., & Garabedian, E. (2003) Usher syndrome and cochlear implantation. *Otology and Neurotology* 24(2): 216-221.

- Orabi, A.A., Mawman, D., Al-Zoubi, F., Saeed, R.R., & Ramsden, R.T. (2006) Cochlear implant outcomes and quality of life in the elderly: Manchester experience over 13 years. *Clinical Otolaryngology* 31: 116-122.
- Palmer, C.S., Niparko, J.K., Wyatt, J.R., Rotherman, W., & de Lissovoy, G. (1999) A prospective study of the cost-utility of the multichannel cochlear implant. *Archives Otolaryngology Head & Neck Surgery* 125: 1221-1228.
- Pasanisi, E., Bacciu, A., Vincenti, V., Guida, M., Barbot, A., Berghenti, M.T., & Bacciu, S. (2003) Speech recognition in elderly cochlear implant recipients. *Clinical Otolaryngology* 28: 154-157.
- Pennings, R., Damen, G., Cremers, C., Hoefsloot, L., Snik, A., & Mylanus, E. (2006) Audiological performance and benefit of cochlear implantation in usher syndrome type I. *Laryngoscope* 116: 717-722.
- Vermeire, K., Brokz, J.P., Quayts, F.L., Cochet, E., Kofkens, A., & Van de heyning, P.H. (2005) Quality of life benefit from cochlear implantation in the elderly. *Otology and Neurology* 26: 188-195.

Clear Speech

- Bradlow, A.R., Kraus, N., & Hayes, E. (2003) Speaking clearly for children with learning disabilities: Sentence perception in noise. *Journal of Speech Language and Hearing Research* 46: 80-97.
- Bradlow, A.R., & Bent, T. (2002) The clear speech effect for non-native listeners. *Journal of Acoustic Society of America* 112(1): 272-284.
- Burk, M.H., Humes, L.E., Amos, N.E., & Strauser, L.E. (2006) Effect of training on word-recognition performance in noise for young normal-hearing and older hearing-impaired listeners. *Journal of Ear and Hearing* 27: 263-278.

- Caissie, R., Dawe, A., Donovan, C., Brooks, H., & MacDonald, S. (1998) Conversational performance of adults with a hearing loss. *Journal of Academy of Rehabilitative Audiology* 31: 45-67.
- Caissie, R., & Gibson, C. (1997) The effectiveness of repair strategies used by people with hearing losses and their conversational partners. *Volta Review* 99: 203-218.
- Cox, R., Alexander, G., & Gilmore, C. (1987) Intelligibility of average talkers in typical listening environments. *J Acoust Soc Am* 81(5): 1598-1608.
- Ferguson, S.H. (2004) Talker differences in clear and conversational speech: vowel and intelligibility for normal hearing listeners. *J Acoust Soc Am* 116: 2365-2373.
- Ferguson, S.H., & Kewley-Port, D. (2007) Talker differences in clear and conversational speech: acoustic characteristics of vowels. *J Speech Lang Hear Res* 50(5): 1241-1255.
- Ferguson, S.H., & Kewley-Port, D. (2002) Vowel intelligibility in clear and conversational speech for normal hearing and hearing impaired listeners. *J Acoust Soc Am* 112: 259-271.
- Gagne, J.P., Masterson, V.M., Munhall, K.G., Bilida, N., & Querengesser, C. (1994) Across talker variability in auditory, visual and audiovisual speech intelligibility for conversational and clear speech. *JARA* 27: 135-158.
- Gagne, J.P., Querengesser, C., Folkeard, P., Munhall, K.G., & Masterson, V.M. (1994) Auditory, visual and audiovisual speech intelligibility for sentence length stimuli: An investigation of conversational and clear speech. *Volta Review* 97: 33-51.
- Heifer, K.S. (1998) Auditory and auditory-visual recognition of clear and conversational speech by older adults. *JAAA* 9: 234-242.

- Kewley-Port, D., Burke, T.Z. & Lee, J.H. (2007) Contribution of consonant versus vowel information to sentence intelligibility for young normal-hearing and elderly hearing-impaired listeners. *J Acoust Soc Am* 122(4):2365-2375.
- Krause, J.C., & Braida, L.D. (2004) Acoustic properties of naturally produced clear speech at normal speaking rates. *J Acoust Soc Am* 115(1):362-378.
- Krause, J.C., & Braida, L.D. (2002) Investigating alternative forms of clear speech: The effects of speaking rate and speaking mode on intelligibility. *J Acoust Soc Am* 112:2165-2172.
- Koslowski, L., & Gagne, J. (2002) A training program designed to improve the speech intelligibility of persons who interact frequently with elderly individuals who have a hearing loss: Evaluation of the efficacy of the program. *Geriatrics Today* 5: 183-186.
- Lui, S., Zeng, F.G. (2006) Temporal properties in clear speech perception. *J Acoust Soc Am* 120(1): 424-432.
- Lui, S., Del Rio, E., Bradlow, A., & Zeng, F.G. (2004) Clear speech perception in acoustic and electric hearing. *J Acoust Soc Am* 116: 2374-2383.
- Maniwa, K., Jongman, A., & Wade, T. (2008) Perception of clear fricatives by normal hearing and simulated hearing-impaired listeners. *J Acoust Soc Am* 123(2): 1114-1125.
- Payton, K.L., Uchanski, R.M., & Braida, L.D. (1994) Intelligibility of conversational and clear speech in noise and reverberation for listeners with normal and impaired hearing. *J Acoust Soc Am* 95: 1581-1592.
- Picheny, M.A., Durlach, N.I., & Braida, L.D. (1985) Speaking clearly for the hard of hearing II: Acoustic characteristics of clear and conversational speech. *J Speech Hear Res* 29: 434-446.

Picheny, M.A., Durlach, N.I., & Braida, L.D. (1985) Speaking clearly for the hard of hearing I: Intelligibility differences between clear and conversational speech. *J Speech Hear Res* 28: 96-103.

Picheny, M.A., Durlach, N.I., & Braida, L.D. (1989) Speaking clearly for the hard of hearing III: An attempt to determine the contribution of speaking rate to differences in intelligibility between clear and conversational speech. *J Speech Hear Res* 32(3): 600-603.

Schum, D.J. (1996) Intelligibility of clear and conversational speech for young and elderly talkers. *JAAA* 7: 212-218.

Schum, D.J. (1997) Beyond hearing aids: Clear speech training as an intervention strategy. *Hearing Journal* 50: 36-39.

Traunmuller, H., & Eriksson, A. (2000) Acoustic effects of variation in vocal effort by men, women and children. *J Acoust Soc Am* 107: 3438-3451.

Uchanski, R.M., Choi, S.S., Braida, L.D., Reed, C.M., & Durlach, N.I. (1996) Speaking clearly for the hard of hearing IV: Further studies of the role of speaking rate. *J Speech Hear Res* 39(3): 494-509.

Dual Sensory Impairment

Berry, P., Kelley-Bock, M., & Reid, C. (2008) Confident living program for senior adults experiencing combined vision and hearing loss. *Age in Action* 23(2): 1-5.

Berry, P., Mascia, J., & Steinman, B.A. (2004) Vision and hearing loss in older adults: Double trouble. *Care Management Journals* 5(1): 35-40.

- Brabyn, J., Schneck, M., Haegerstrom-Portnoy, G., & Lott, L. (2007) Dual sensory loss: Overview of problems, visual assessment and rehabilitation. *Trends in Amplification* 11(4):219-226.
- Brennan, M., Su, Y.P., & Horowitz, A. (2005) Dual sensory loss and its impact on everyday competence. *Gerontologist* 45(3):337-346.
- Brennan, M., Su, Y.P., & Horowitz, A. (2006) Longitudinal associations between dual sensory impairment and everyday competence among older adults. *Journal of Rehabilitative Research and Development* 43(6):777-792.
- Carabellese, C., Appollonio, I., Rozzini, R., Bianchetti, A., Brisoni, G., & Frattola, L. et al. (2004) Sensory impairment and quality of life in a community of elderly population. *Journal of the American Geriatric Society* 41:401-407.
- El Kashlan, H., Boerst, A., & Telian, S. (2001) Multichannel cochlear implantation in visually impaired patients. *Otology & Neurotology* 22(1):53-56.
- Heine, C., & Browning, C. (2002) Communication and psychosocial consequences of sensory loss in older adults: Overview and rehabilitation directions. *Disability and Rehabilitation* 24(15):763-773.
- Hinderink, J., Mens, L., Brokx, J., & Van den Broek, P. (1994) Results from four cochlear implant patients with usher's syndrome. *Annals of Otology, Rhinology & Laryngology* 103:285-293.
- Hyvarinen, L. (2007) Implications in deafblindness of visual assessment procedures: Considerations for audiologists, ophthalmologists and interpreters. *Trends in Amplification* 11(4):227-232.
- Kricos, P. (2007) Hearing assistive technology considerations for older individuals with dual sensory loss. *Trends in Amplification* 11(4):273-279

- Loundon, N., Marlin, S., Busquet, D., Denoyelle, F., Roger, G., Renaud, F., & Garabedian, E. (2003) Usher syndrome and cochlear implantation. *Otology and Neurotology* 24(2): 216-221.
- Pennings, R., Damen, G., Cremers, C., Hoefsloot, L., Snik, A., & Mylanus, E. (2006) Audiological performance and benefit of cochlear implantation in usher syndrome type I. *Laryngoscope* 116: 717-722.
- Saunders, G., & Echt, K. (2007) An overview of dual sensory impairment in older adults: Perspectives for rehabilitation. *Trends in Amplification* 11(4): 243-254.
- Simon, H., & Levitt, H. (2007) Effect of dual sensory loss on auditory localization: Implications for intervention. *Trends in Amplification* 11(4): 259-268.
- Tye-Murray, N., Sommers, M., & Spehar, B. (2007) Auditory and visual lexical neighborhoods in audiovisual speech perception. *Trends in Amplification* 11(4): 233-241.

Efficacy

- Abrams, H.B., Hnath-Chisolm, T., & McArdle, R. (2002) A cost utility analysis of adult group rehabilitation: Are the benefits worth the cost? *Journal of Rehabilitation Research and Development* 39:549-558.
- Abrams, H.B., Hnath-Chisolm, T., Guerreiro, S., & Ritterman, S. (1992) The effects of intervention strategy on self-perception of hearing handicap. *Ear and Hearing* 13(5):371-377.
- Chisolm, T., Abrams, H., & McArdle, R. (2004) Short and long-term outcomes of adult audiologic rehabilitation. *Ear and Hearing* 25:464-477.

- Djalilian, H.R., King, T.A., Smith, S.L. & Levine, S.C. (2002) Cochlear implantation in the elderly: results and quality of life assessment. *Annals of Otology, Rhinology & Laryngology* 111: 890-895.
- Francis, H.W., Chee, N., Yeagle, J., Cheng, A., & Niparko, J.K. (2002) Impact of cochlear implants on the functional health status of older adults. *Laryngoscope* 112: 1482-1488.
- Hawkins, D. (2005) Effectiveness of counseling-based adult group aural rehabilitation programs: A systematic review of the evidence. *JAAA* 16: 485-493.
- Hickson, L, Worrall, L., & Scarinci, N. (2007) A randomized controlled trial evaluating the active communication program for older people with hearing impairment. *Ear and Hearing* 28(2): 212-230.
- Hickson, L, Worrall, L., & Scarinci, N. (2006) Measuring outcomes of a communication program for older people with hearing impairment using the international outcome inventory. *International Journal of Audiology* 45: 238-246.
- Hogan, H., Linden, W., & Najarian, B. (2002) Social support interventions: Do they work? *Clinical Psychology Review* 22(3): 381-440.
- Kricos, P. & Holmes, A. (1996) Efficacy of audiology rehabilitation for older adults. *JAAA* 7: 219-229.
- Kricos, P., Holmes, A., & Doyle, D. (1992) Efficacy of a communication training program for hearing-impaired elderly adults. *JARA* 25: 69-80.
- Kricos, P., & Lesner, S.A. (2000) Evaluating the success of adult audiologic rehabilitation support programs. *Seminars in Hearing* 21: 267-279.

- Orabi, A.A., Mawman, D., Al-Zoubi, F., Saeed, R.R., & Ramsden, R.T. (2006) Cochlear implant outcomes and quality of life in the elderly: Manchester experience over 13 years. *Clinical Otolaryngology* 31: 116-122.
- Palmer, C.S., Niparko, J.K., Wyatt, J.R., Rotherman, W., & de Lissovoy, G. (1999) A prospective study of the cost-utility of the multichannel cochlear implant. *Archives Otolaryngology Head & Neck Surgery* 125: 1221-1228.
- Rubinstein, A., & Boothroyd, A. (1987) Effect of two approaches to auditory training on speech recognition by hearing-impaired adults. *J Speech Hear Res* 30: 153-161.
- Vermeire, K., Brokx, J.P., Quayts, F.L., Cochet, E., Kofkens, A., & Van de heyning, P.H. (2005) Quality of life benefit from cochlear implantation in the elderly. *Otology and Neurology* 26: 188-195.
- Walden, B., Erdman, S., Montgomery, A., Schwartz, D., & Prosek, R. (1981) Some effects of training on speech recognition by hearing-impaired adults. *J Speech Hear Res* 24: 207-216.

Elderly

- Buchman, C.A., Fucci, M.J., & Luxford, W.M. (1999) Cochlear implants in the geriatric population: Benefits outweigh risks. *Ear, Nose and Throat Journal* 78: 489-494.
- Carabellese, C., Appollonio, I., Rozzini, R., Bianchetti, A., Brisoni, G., & Frattola, L. et al. (2004) Sensory impairment and quality of life in a community of elderly population. *Journal of the American Geriatric Society* 41: 401-407.
- Chatelin, V., Kim, E.J., Driscoll, C., Larky, J., Polite, C., Price, L., & Lalwani, A.K. (2004) Cochlear implant outcomes in the elderly. *American Journal of Otology* 25: 298-301.

- Djalilian, H.R., King, T.A., Smith, S.L. & Levine, S.C. (2002) Cochlear implantation in the elderly: results and quality of life assessment. *Annals of Otolaryngology, Rhinology & Laryngology* 111: 890-895.
- Heifer, K.S. (1998) Auditory and auditory-visual recognition of clear and conversational speech by older adults. *JAAA* 9: 234-242.
- Kelsall, D.C., Shallop, J.K. & Burnelli, T. (1995) Cochlear implantation in the elderly. *American Journal of Otolaryngology* 16: 609-615.
- Kricos, P., Holmes, A., & Doyle, D. (1992) Efficacy of a communication training program for hearing-impaired elderly adults. *JARA* 25: 69-80.
- Koslowski, L., & Gagne, J. (2002) A training program designed to improve the speech intelligibility of persons who interact frequently with elderly individuals who have a hearing loss: Evaluation of the efficacy of the program. *Geriatrics Today* 5: 183-186.
- Pasanisi, E., Bacciu, A., Vincenti, V., Guida, M., Barbot, A., Berghenti, M.T., & Bacciu, S. (2003) Speech recognition in elderly cochlear implant recipients. *Clinical Otolaryngology* 28: 154-157.
- Schum, D.J. (1996) Intelligibility of clear and conversational speech for young and elderly talkers. *JAAA* 7: 212-218.
- Ventry, I., & Weinstein, B. (1982) The hearing handicap inventory for the elderly: A new tool. *Ear and Hearing* 3(3): 128-134.
- Vermeire, K., Brokz, J.P., Quayts, F.L., Cochet, E., Kofkens, A., & Van de heyning, P.H. (2005) Quality of life benefit from cochlear implantation in the elderly. *Otolaryngology and Neurology* 26: 188-195.
- Vieira, E., Miranda, E., Calais, L., Carvalho, L., Iorio, M., & Borges, A. (2007) Group follow up proposal for elderly with hearing aids. *Revista Brasileira de otorrinolaringologia* 73: 2-11.

Weinstein, B., Spitzer, J., & Ventry, I. (1986) Test-retest reliability of the hearing handicap inventory for the elderly. *Ear and Hearing* 7(5): 295-299.

Group Rehabilitation

Abrahamson, J. (2000) Group audiologic rehabilitation. *Seminars in Hearing* 21:227-233.

Abrams, H.B., Hnath-Chisolm, T., & McArdle, R. (2002) A cost utility analysis of adult group rehabilitation: Are the benefits worth the cost? *Journal of Rehabilitation Research and Development* 39:549-558.

Getty, L., & Hetu, R. (1991) Development of a rehabilitation program for people affected with occupational hearing loss 2. Results from group intervention with 48 workers and their spouses. *Audiology* 30(6):317-329.

Hawkins, D. (2005) Effectiveness of counseling-based adult group aural rehabilitation programs: A systematic review of the evidence. *Journal Amer Acad Aud* 16:485-493.

Hetu, R., & Getty, L. (1991) Development of a rehabilitation program for people affected with occupational hearing loss 1. A new paradigm. *Audiology* 30(6):306-316.

Getty, L., & Hetu, R. (1991) Development of a rehabilitation program for people affected with occupational hearing loss 2. Results from group intervention with 48 workers and their spouses. *Audiology* 30(6):317-329.

Hawkins, D. (2005) Effectiveness of counseling-based adult group aural rehabilitation programs: A systematic review of the evidence. *JAAA* 16:485-493.

Hetu, R., & Getty, L. (1991) Development of a rehabilitation program for people affected with occupational hearing loss 1. A new paradigm. *Audiology* 30(6):306-316.

Kricos, P. (2003) Group support programs for new hearing aid users: 2003. www.audiologyonline.com

Lalnde, N., Riverin, L., & Lambert, J. (1988) Occupational hearing loss: An aural rehabilitation program for workers and their spouses, characteristics of the program and target group (participants and nonparticipants). *Ear and Hearing* 9: 248-255.

Preminger, J.E. (2003) Should significant other be encouraged to join adult group rehabilitation classes? *JAAA* 14: 545-555.

Vieira, E., Miranda, E., Calais, L., Carvalho, L., Iorio, M., & Borges, A. (2007) Group follow up proposal for elderly with hearing aids. *Revista Brasileira de otorrinolaringologia* 73: 2-11.

Hearing Aids

Hickson, L. (2006) Rehabilitation approaches to promote successful unilateral and bilateral fittings and avoid inappropriate prescription. *International Journal of Audiology* 45(S):S72-S77.

Kricos, P. (2003) Group support programs for new hearing aid users: 2003. www.audiologyonline.com

Turner, C., Humes, L., Bentler, R., & Cox, R. (1996) A review of past research on changes in hearing aid benefit over time. *Ear and Hearing* 17(S): 14-28.

Vieira, E., Miranda, E., Calais, L., Carvalho, L., Iorio, M., & Borges, A. (2007) Group follow up proposal for elderly with hearing aids. *Revista Brasileira de otorrinolaringologia* 73: 2-11.

HAT: Hearing Assistive Technology

Ball, C., Franco, A., Tyrell, J., & Couturie, P. (1998) Video conferencing in the hard of hearing. *Journal of Telemedicine & Telecare* 4:57-59.

Boothroyd, A. (2004) Hearing aid accessories for adults: The remote FM microphone. *Ear and Hearing* 25:22-23.

Chisolm, T., Noe, C.M., McArdle, R., & Abrams, M. (2007) Evidence for the use of hearing assistive technology by adults: The role of the FM system. *Trends in Amplification* 11:73-89.

Kricos, P. (2007) Hearing assistive technology considerations for older individuals with dual sensory loss. *Trends in Amplification* 11(4): 273-279.

Literature Reviews

Hawkins, D. (2005) Effectiveness of counseling-based adult group aural rehabilitation programs: A systematic review of the evidence. *JAAA* 16:485-493.

Sweetow, R., & Palmer, C. (2005) Efficacy of individual auditory training in adults: A systematic review of the evidence. *JAAA* 16: 494-504.

Turner, C., Humes, L., Bentler, R., & Cox, R. (1996) A review of past research on changes in hearing aid benefit over time. *Ear and Hearing* 17(S): 14-28.

Outcome Measures

Cox, R., & Alexander, G. (1999) Measuring satisfaction with amplification in daily life: the SADL scale. *Ear and Hearing* 20(4):306-320.

- Hickson, L, Worrall, L., & Scarinci, N. (2006) Measuring outcomes of a communication program for older people with hearing impairment using the international outcome inventory. *International Journal of Audiology* 45:238-246.
- Newman, C.W., Weinstein, B.E., Jacobson, G.P., & Hug, G.A. (1990) The hearing handicap inventory for adults: Psychometric adequacy and audiometric correlates. *Ear and Hearing* 11: 430-433.
- Ventry, I., & Weinstein, B. (1982) The hearing handicap inventory for the elderly: A new tool. *Ear and Hearing* 3(3): 128-134.
- Weinstein, B., Spitzer, J., & Ventry, I. (1986) Test-retest reliability of the hearing handicap inventory for the elderly. *Ear and Hearing* 7(5): 295-299.

Programs

- Berry, P., Kelley-Bock, M., & Reid, C. (2008) Confident living program for senior adults experiencing combined vision and hearing loss. *Age in Action* 23(2): 1-5.
- Getty, L., & Hetu, R. (1991) Development of a rehabilitation program for people affected with occupational hearing loss 2. Results from group intervention with 48 workers and their spouses. *Audiology* 30(6):317-329.
- Hetu, R., & Getty, L. (1991) Development of a rehabilitation program for people affected with occupational hearing loss 1. A new paradigm. *Audiology* 30(6):306-316.
- Hickson, L, Worrall, L., & Scarinci, N. (2007) A randomized controlled trial evaluating the active communication program for older people with hearing impairment. *Ear and Hearing* 28(2):212-230.

- Hickson, L., Worrall, L., & Scarinci, N. (2006) Measuring outcomes of a communication program for older people with hearing impairment using the international outcome inventory. *International Journal of Audiology* 45:238-246.
- Kramer, S., Alessie, G., Dondorp, A., Zekveld, A., & Kapteyn, T. (2005) A home education program for older adults with hearing impaired and their significant others: A randomized trial evaluating short- and long-term effects. *International Journal of Audiology* 44:265-271.
- Kricos, P., Holmes, A., & Doyle, D. (1992) Efficacy of a communication training program for hearing-impaired elderly adults. *JARA* 25: 69-80.
- Koslowski, L., & Gagne, J. (2002) A training program designed to improve the speech intelligibility of persons who interact frequently with elderly individuals who have a hearing loss: Evaluation of the efficacy of the program. *Geriatrics Today* 5: 183-186.
- Lalnde, N., Riverin, L., & Lambert, J. (1988) Occupational hearing loss: An aural rehabilitation program for workers and their spouses, characteristics of the program and target group (participants and nonparticipants). *Ear and Hearing* 9: 248-255.

Peer Mentoring

- Abrams, H.B., Hnath-Chisolm, T., Guerreiro, S., & Ritterman, S. (1992) The effects of intervention strategy on self-perception of hearing handicap. *Ear and Hearing* 13(5):371-377.
- Bally, S.J., & Bakke, M.H. (2007) A peer mentor training program for aural rehabilitation. *Trends in Amplification* 11:125-131.
- Beyer, C.M., & Northern, J.L. (2000) Audiologic rehabilitation support programs: A network model. *Seminars in Hearing* 21:257-265.

Borg, E., Danermark, B., & Borg, B. (2002) Behavioural awareness, interaction and counseling education in Audiological rehabilitation: Development of methods and application in a pilot study. *International Journal of Audiology* 41: 308-322.

Hogan, H., Linden, W., & Najarian, B. (2002) Social support interventions: Do they work? *Clinical Psychology Review* 22(3):381-440.

Johnson, C.E., & Danhauer, J. (2000) Aural rehabilitation support programs for adults. *Seminars in Hearing* 21:213-225.

Kricos, P., & Lesner, S.A. (2000) Evaluating the success of adult audiologic rehabilitation support programs. *Seminars in Hearing* 21: 267-279.

Ross, M., & Bally, S. (2005) Peer mentoring: It's time has come. www.audiologyonline.com

Taylor, K., & Jurma, W. (1999) Study suggests that group rehabilitation increases benefit of hearing aid fittings. *Hearing Journal* 52(9): 48-54.

Significant Others

Kramer, S., Alessie, G., Dondorp, A., Zekveld, A., & Kapteyn, T. (2005) A home education program for older adults with hearing impaired and their significant others: A randomized trial evaluating short- and long-term effects. *International Journal of Audiology* 44:265-271.

Preminger, J.E. (2003) Should significant other be encouraged to join adult group rehabilitation classes? *JAAA* 14: 545-555.